Washington Behavioral Risk Factor Surveillance System 2004 Tobacco Survey Results

Cowlitz County

What is your age?	n	= 207
18 - 34	28.5%	(± 8.5%)
35 - 54	37.4	(± 7.8)
55 - 74	25.2	(± 6.1)
75+	9.0	(± 3.9)
Gender	n	= 207
Male	50.7%	(± 8.1%)
Female	49.3	(± 8.1)
Which one of these groups would you say best represents your race	n	= 205
White	92.3%	(± 6.5%)
Black or African American	0.0	(± 0.0)
Asian	0.0	(± 0.0)
Native Hawaiian or Other Pacific Islander	0.0	(± 0.0)
American Indian, Alaska Native	0.5	(± 1.0)
Other race	7.1	(± 6.5)
No preferred race	0.1	(± 0.3)
Are you Hispanic or Latino/Latina?	n	= 207
Yes	8.2%	(± 6.6%)
No	91.8	(± 6.6)
Marital status	n	= 207
Married	58.4%	(± 8.2%)
Divorced	11.5	(± 4.5)
Widowed	8.3	(± 3.5)
Separated	4.9	(± 5.6)
Never been married	7.5	(± 4.7)
Or a member of an unmarried couple	9.2	(± 6.2)
How many children less than 18 years of age live in your household?	n	= 207
None	58.1%	(± 8.3%)
1	20.6	(± 7.1)
2	16.0	(± 6.8)
3 or more	5.3	(± 3.7)
What is the highest grade or year of school you completed?	n	= 207
Some high school or less	8.8%	(± 5.4%)
High school graduate or GED	33.3	(± 7.9)
Some college or technical school	36.4	(± 7.7)
College graduate or more	21.5	(± 6.5)
*Estimates based on sample sizes less than 50 were omitted.		Cowlitz
On stad on 0/00/0005		Daniel de (40

Created on 8/29/2005

Page 1 of 10

Are you currently		n = 207
Employed for wages	47.8%	(± 8.2%)
Self-employed	8.8	(± 4.5)
Out of work	7.6	(± 5.5)
Homemaker	7.2	(± 3.5)
Student	3.3	(± 2.6)
Retired	17.0	(± 5.1)
Or unable to work	8.3	(± 4.4)
Annual household income from all sources		n = 180
Less than \$20,000	16.0%	(± 5.6%)
\$20,000 to less than \$50,000	57.7	(± 8.4)
\$50,000 or more	26.3	(± 7.4)
+		,
Have you smoked at least 100 cigarettes in your entire life?		n = 304
Yes	57.8%	(± 6.6%)
No	42.2	(± 6.6)
Among those that have smoked at least 100 cigarettes in their entire life:		
Do you now smoke cigarettes everyday, some days, or not at all?		n = 165
Everyday	33.6%	(± 8.9%)
Some days	11.2	(± 6.8)
Not at all	55.1	(± 9.5)
		(= 5.5)
Among current smokers:		
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?	•	n = 71
Yes	63.7%	(± 13.6%)
	36.3	,
No		(+ 13.6)
No	00.0	(± 13.6)
No Current cigarette smoking prevalence:		(± 13.6) n = 304
		, ,
Current cigarette smoking prevalence:		n = 304
Current cigarette smoking prevalence: (every day or some day smokers among the whole population)	26.0%	n = 304
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes:	26.0%	n = 304 (± 6.3%) n = 107
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days?	26.0%	n = 304 (± 6.3%)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No	26.0% 48.8%	n = 304 (± 6.3%) n = 107 (± 11.5%)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days:	26.0% 48.8%	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5)
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes?	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes?	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days Among those that have smoked in the past 30 days:	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days Among those that have smoked in the past 30 days: On average, about how many cigarettes per day do you smoke, on the days that	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48
Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days 30 days Among those that have smoked in the past 30 days:	26.0% 48.8% 51.2	n = 304 (± 6.3%) n = 107 (± 11.5%) (± 11.5) n = 48

*Estimates based on sample sizes less than 50 were omitted.

Cowlitz
Created on 8/29/2005
Page 2 of 10

Have you ever tried using smokeless tobacco, like chew, dip or snuff?	İ	n = 201
Yes No	26.5% 73.5	(± 7.9%) (± 7.9)
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?		n = 37
None	*	*
Less than 30 days 30 days	*	*
Current smokeless tobacco prevalence:	İ	n = 201
(any use in past 30 days among the whole population)	4.9%	(± 4.1%)
In the past month, have you smoked a cigar, even just a puff?	ı	n = 201
Yes No	4.4% 95.6	(± 3.3%) (± 3.3)
Current tobacco use (all types of tobacco)	1	n = 201
Current daily tobacco user Current non-tobacco user	33.0% 67.0	(± 8.2%) (± 8.2)
Among former smokers: About how long has it been since you last smoked cigarettes regularly, that is, daily?		n = 58
Within the past month (less than 1 month ago)	0.6%	(± 1.1%)
Within the past 3 months (1-3 months ago)	6.1	(± 8.9)
Within the past 6 months (3-6 months ago)	0.0	(± 0.0)
Within the past year (6-12 months ago)	4.7	(± 6.9)
Within the past 5 years (1-5 years ago) Within the past 15 years (5-15 years ago)	21.1 19.7	(± 12.4) (± 11.1)
More than 15 years ago	45.3	(± 11.1) (± 14.5)
Never used regularly	2.5	(± 5.0)
Among former smokers: When you last smoked cigarettes regularly, on average, how many days per month		n = 57
did you smoke?	•	11 – 07
Average:	27.9	(± 2.9)
Among former smokers: When you last smoked cigarettes regularly, on average, how many cigarettes did you smoke per day?		n = 57
Average:	26.0	(± 6.3)

Cowlitz
Created on 8/29/2005
Page 3 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among never smokers less than 30 years old: Do you think that you will smoke a cigarette anytime during the next year?		n = 7
	*	*
Definitely yes Probably yes	*	*
Probably no	*	*
Definitely no	*	*
·		
Among never smokers less than 30 years old: If you of your best friends offered you a cigarette, would you smoke it?		n = 7
Definitely yes	*	*
Probably yes	*	*
Probably no	*	*
Definitely no	*	*
Among current tobacco users: About how much do you usually spend on tobacco products every week?		n = 57
	40.007	
Less than \$25	48.6%	(± 16.0%)
At least \$25 but less than \$55	49.8	(± 16.0) (± 2.6)
More than \$55	1.5	(± 2.0)
Among current tobacco users:		
In the past month, did you buy tobacco on a Native American reservation?		n = 57
Yes	9.6%	(± 9.3%)
No	90.4	(± 9.3)
Among current tobacco users:		
In the past month, did you buy tobacco from the Internet?		n = 57
Yes	1.0%	(± 2.0%)
No	99.0	(± 2.0)
Among ourrent tobacca usors		
Among current tobacco users: During the past month, did you buy tobacco outside the state to save money - not		n = 57
just because you were traveling?		
Yes	9 2%	(± 9.1%)
No	90.8	(± 9.1)
		(= 511)
Among current/former tobacco users:		
People close to me are/were upset by my using tobacco.		n = 107
Strongly agree	48.3%	(± 11.4%)
Somewhat agree	22.4	(± 9.5)
Somewhat disagree	9.8	(± 5.9)
Strongly disagree	19.5	(± 9.1)

Cowlitz
Created on 8/29/2005
Page 4 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 109
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	25.6% 13.1 23.0 38.3	(± 10.4%) (± 7.8) (± 9.6) (± 10.5)
Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 106
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	8.3% 9.0 3.0 79.7	(± 5.7%) (± 7.3) (± 3.5) (± 9.1)
Among current/former tobacco users: When was the last time a PHARMACIST advised you to quit, if ever?	n	= 109
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	4.2% 0.0 0.0 95.8	(± 7.9%) (± 0.0) (± 0.0) (± 7.9)
Among those advised to quit:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 67
Did the health care professional who advised to quit offer any help, or refer you to	43.6% 56.4	(± 14.9%) (± 14.9)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes	43.6% 56.4	(± 14.9%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is	43.6% 56.4	(± 14.9%) (± 14.9)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is it coverage through Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service	43.6% 56.4 n 44.2% 17.8 12.3 15.3 6.8 3.5 0.0 0.0	(± 14.9%) (± 14.9) = 175 (± 8.8%) (± 6.2) (± 5.7) (± 5.7) (± 3.7) (± 3.7) (± 0.0)

Cowlitz
Created on 8/29/2005
Page 5 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current and recent former smokers: Within the past year, did your employer offer any stop-smoking class or other programs to help employees quit using tobacco? Yes No	*	n = 30 * *	
Among current and recent former smokers with health care coverage: Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		n = 37	
Yes No Don't know/Not sure	* * *	* *	
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n = 51	
Yes No	35.4% 64.6	(± 15.8 (± 15.8	
Among current and recent former smokers who have heard of the "Quit-Line": Would you ever call a telephone support service for help in quitting tobacco?		n = 48	
Definitely Yes Probably Yes Probably No Definitely No	* * *	* * *	
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n = 22	
Yes No	*	*	
Among current tobacco users: Would you like to quit using tobacco? Yes	67.9%	n = 55	90/\
No	32.1	(± 14.8 (± 14.8	,
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?		n = 33	
Yes No	*	*	
Among current tobacco users considering quitting within 6 months: Are you planning to stop within the next 30 days?		n = 32	
Yes No Don't know/Not sure	* * *	* *	

*Estimates based on sample sizes less than 50 were omitted.

Cowlitz Page 6 of 10

Are you currently registered to vote?	n :	= 199
Yes No	86.3% 13.7	(± 7.1%) (± 7.1)
Which of the following statements best describes the rules about smoking in your home	n :	= 201
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	77.2% 16.0 6.8	(± 6.9%) (± 6.4) (± 3.4)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n = 200	
No current smokers in household 1 2 3 or more	63.2% 20.1 12.5 4.2	(± 8.1%) (± 6.1) (± 5.8) (± 4.4)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n :	= 200
None Less than 30 30 days	82.4% 5.8 11.8	
If it were just up to you, would you let people smoke inside your home?	n :	= 199
Yes No	13.3% 86.7	(± 4.8%) (± 4.8)
Among people who are currently employed for wages:		
When you are at work, do you spend most of your time in an	n :	= 103
When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital Somewhere else Among people who are currently employed for wages:	23.6% 7.1 9.4 18.8 9.8 10.1 4.2 8.4 5.7 2.9	(± 8.7%) (± 5.4) (± 6.1) (± 10.5) (± 6.2) (± 9.3) (± 4.3) (± 5.9) (± 4.4) (± 3.7)
Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital Somewhere else	23.6% 7.1 9.4 18.8 9.8 10.1 4.2 8.4 5.7 2.9	(± 8.7%) (± 5.4) (± 6.1) (± 10.5) (± 6.2) (± 9.3) (± 4.3) (± 5.9) (± 4.4)

Cowlitz Page 7 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?	n	= 95	
Yes No	10.7% 89.3	(± 9.4%) (± 9.4)	
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?	n	= 94	
Yes No	17.6% 82.4	(± 10.6%) (± 10.6)	
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?	n =	= 102	
None Less than one hour One hour or more	70.1% 13.0 16.9	(± 11.2%) (± 7.6) (± 9.9)	
In general, would you say that breathing secondhand smoke is	n =	= 197	
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	13.1% 9.8 26.3 50.7	(± 5.6%) (± 5.1) (± 7.4) (± 8.4)	
Would you say that breathing secondhand smoke is	n =	= 194	
Not at all harmful A little bit harmful Somewhat harmful Very harmful	1.9% 6.8 22.1 69.3	(± 1.7%) (± 4.3) (± 6.9) (± 7.7)	
All children should be protected from secondhand smoke.	n =	= 198	
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	83.6% 8.2 3.2 4.9	(± 6.1%) (± 4.1) (± 3.1) (± 3.8)	
Do you think that smoking should not be allowed at all in restaurants?	n =	= 199	
Yes No Don't know/Not sure	73.4% 24.2 2.4	(± 7.9%) (± 7.9) (± 2.0)	
Do you think that smoking should not be allowed in bars and lounges?	n =	n = 197	
Yes No Don't know/Not sure	37.1% 53.4 9.5	(± 8.1%) (± 8.4) (± 4.8)	

^{*}Estimates based on sample sizes less than 50 were omitted.

Cowlitz
Created on 8/29/2005
Page 8 of 10

Do you think that smoking should not be allowed in outdoor public areas where children may be present?	n	= 200
Yes	53.8%	(± 8.4%)
No	40.4	(± 8.4)
Don't know/Not sure	5.8	(± 3.4)
Local law enforcement officials should place a high priority on enforcing laws that	n	= 192
ban the possession of tobacco products by minors.		
Strongly agree	62.4%	(± 8.2%)
Somewhat agree	19.0	(± 6.2)
Somewhat disagree	12.4	(± 5.9)
Strongly disagree	6.2	(± 4.0)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	= 191
Strongly agree	55.7%	(± 8.4%)
Somewhat agree	25.1	(± 7.3)
Somewhat disagree	11.4	(± 5.4)
Strongly disagree	7.7	(± 4.3)
School officials should make sure that all children receive anti-tobacco education.	n	= 199
Strongly agree	88.2%	(± 5.1%)
Somewhat agree	10.0	(± 4.9)
Somewhat disagree	0.8	(± 1.0)
Strongly disagree	1.0	(± 1.4)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	= 199
Strongly agree	85.6%	(± 6.0%)
Somewhat agree	9.3	(± 5.2)
Somewhat disagree	1.1	(± 1.3)
Strongly disagree	4.0	(± 3.0)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	n	= 190
Yes	39.4%	(± 8.2%)
No	60.6	(± 8.2)
There are so many things that cause cancer, tobacco use is not going to make any difference.	n	= 194
Strongly agree	7.1%	(± 3.9%)
Somewhat agree	6.3	(± 4.2)
Somewhat disagree	11.0	(± 5.1)
Strongly disagree	75.6	(± 7.0)
-		. ,

Cowlitz
Created on 8/29/2005
Page 9 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Would you ever use or wear something that has a tobacco company logo or picture on it?	n = 193	
Yes No	19.2% 80.8	(± 7.2%) (± 7.2)
Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n	= 198
Yes No	10.5% 89.5	(± 4.9%) (± 4.9)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 197
Yes No	22.7% 77.3	(± 6.9%) (± 6.9)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 198
Yes No	13.0% 87.0	(± 6.8%) (± 6.8)
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 192
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	26.3% 31.4 12.0 30.2	(± 8.1%) (± 7.8) (± 5.0) (± 7.7)
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 30
Yes No	*	*

Created on 8/29/2005

Created on 8/29/2005

Created on 8/29/2005